



Figure 2: A female patient before and after treatment of the submalar region using Profhilo. Images courtesy of Dr Emma Ravichandran.

is more hydrated and appears more youthful and in better health.” Some of her patients have reported an immediate improvement after treatment. She continues, “I have now completed 20 patients’ preliminary two-step treatments and am delighted with the results I have achieved (Figure 2). Overall, patients can expect increased

firmness, elasticity and an overall improved quality of skin, with the effects lasting up to six months.”

Conclusion

Dr Ravichandran concludes, “Profhilo does not create the volumetric lift or volume replacement associated with cross-linked dermal fillers, however, it creates volume in the tissue where it is needed due to its high spreadability. Owing to this characteristic, it is an ideal treatment for challenging areas as well, such as the neck, perioral area, and hands and arms, where we do not see the significant volume loss, but skin has lost elasticity. I often see patients with artificially enhanced cheeks, which is a result of overfilling because the wrinkle ‘just doesn’t go away’. But, in my experience, Profhilo has been very effective in correcting this concern.”

REFERENCES

1. Derek Jones, *Injectable Fillers, Enhanced Edition: Principles and Practice*, (2010) Wiley-Blackwell.
2. Koenraad De Boulle, A review of the metabolism of 1,4-butanedio diglycidyl ether – crosslinked hyaluronic acid dermal fillers, (2013) <<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4264939/>>
3. Lisette Hilton, *CosmeticSurgeryTimes, Future fillers: Profhilo & Belotero Volume*, (2016) <<http://cosmeticsurgerytimes.modernmedicine.com/cosmetic-surgery-times/news/future-fillers-prohilo-belotero-volume>>
4. IBSA Derma, *A New Discovery*, (2016) <http://www.ibsaderma.com.ua/en/pdf/Brochure_medico_Profihilo_en.pdf>
5. Antonella D’Agostino, *BioMed Central, In vitro analysis of the effects on wound healing of high- and low-molecular weight chains of hyaluronan and their hybrid H-HA/L-HA complexes* (2015) <<http://bmccellbiol.biomedcentral.com/articles/10.1186/s12860-015-0064-6>>



PROPHILO®

Thermally stabilised hyaluronic acid for skin remodeling (64mg / 2ml)

- First injectable HA for skin remodeling and treating skin laxity
- First stabilised product without BDDE
- Dramatic improvement in tissue quality, even in challenging areas
- Complementary to other treatments
- Safe, effective, “a true breakthrough” in anti-ageing medicine
- Training with Dr Irfan Mian and Dr Ravi Jain available



*Courtesy of Dr Abascal



*Courtesy of Gabriel Ghinea

... exclusive UK distributor of IBSA Italia’s aesthetic products

www.ha-derma.co.uk / info@ha-derma.co.uk

0208 455 48 96